



## Model 600 NPU

80.29.0016



RONDA® 600-NPU is designed for high durability and user-friendliness. The RONDA® 600-NPU is the first in a new generation of NPUs based on a cylindrical filter system.

The cylindrical filter system has a larger filter area, which results in:

- Lower pressure drop across the filter and greater air flow
- Longer intervals between filter change
- Longer service life of filters

The NPU is built around a powerful radial fan to ensure a high air flow, even when the filter is blocked. The fan housing is made of strong, impact-resistant thermo-plastic. The robust metal frame is designed to protect the air cleaner and ensure easy handling and transport.

It is equipped with an indication for 70% blocked filter. Available with non-return flap which prevents backflow of toxic gases.

In connection with renovation, demolition, painting, etc. the negative pressure unit is well qualified for everybody who wants to:

- Minimize health hazardous dust from the breathing air zone
- Minimize the need for cleaning
- Prevent spread of dust outside the work area

### TECHNICAL DATA

Air flow, max.	600 m <sup>3</sup> /h
Power input	155 W
Voltage	230 V
Noise level	<70 dB
Pre-filter, G4	0.36 m <sup>2</sup>
HEPA filter, H13	9.2 m <sup>2</sup>
Height	485 mm
Width	440 mm
Length	525 mm
Weight	13.5 kg
Outlet	ø 125 mm
Cable length	8 m

The data of the machine is without evacuation hose


- Simple and dust free filter change
- Longer intervals between filter changes
- Easy to use and handle
- Low noise level
- Warning lamp for 70 % blocked filter
- HEPA filter, H13 (EN 1822-1)



## Model 600 NPU

### STANDARD ACCESSORIES:

- 1 HEPA filter, H13..... 84.67.5096
- 2 Pre-filter, G4, 3 units/packet..... 84.67.1250
- 3 Coupling for extraction hose ..... 83.97.0060



### OPTIONAL ACCESSORIES:

- 1 Non-return flap, ø125 mm..... 83.97.0062
- 2 Extraction hose, ø125 mm, 6 m ..... 84.54.1250

